

Euro-Top Hygienic

Cable gland designed specifically for the hygiene sector

















Euro-Top Hygienic / Euro-Top Hygienic EMV

Material

Stainless Steel (1.4305)

Sealing insert


Thermoplastic Elastomer

Temperatures

-20°C bis +100°C







Thread

Note

metric according to EN 60423


IP68/IP69

Protection rating

D



Delivery including lock nuts.



Article			Klemmbereich		(J) ,	₹ ½ EMV				н
Standard		AG		≤	√√2	72 EIVIV		EMV	H	EMV
HYG900512	-	M 12 x 1.5	3.0	6.5	14/15	-	6.0	-	21.3	-
HYG900516S	HYG910516	M 16 x 1.5	5.0	10.0	18/19	18/19	7.0	7.0	23.1	28.5
HYG900520S	HYG910520	M 20 x 1.5	6.0	12.0	22/24	22/24	10.0	10.0	26.7	33.0
HYG900525S	HYG910525	M 25 x 1.5	12.0	17.0	28/30	28/30	14.0	14.0	29.1	38.0




Cleanliness in the food and beverage industry, the chemical industry and the pharmaceutical industry is subject to strict requirements. These are met with our *Euro-Top Hygienic*. Thanks to its compact construction and extremely smooth surface, the cable gland is easy and cost-effective to clean. Its high tightness also prevents the ingress of dirt and foreign particles. For a clean solution.


Applications:

- Food industry
- Beverage industry
- Pharmaceutical industry
- Clean room technology
- Biotechnology
- Chemical industry









Advantages:

- Compact construction
- Even surface
- No accumulation of harmful microorganisms
- Simple, quick and cost-effective cleaning using a high-pressure cleaner
- Resistant to chemical cleaning agents
- No corners for dirt to collect
- High tightness
- No ingress of foreign particles into the enclosure
- High strain relief thanks to internal strain relief element
- EHEDG certified

Product inquiry

Would you like to receive further information, samples or a quote from us? If so, please send us the completed form by fax » +49 5407 8766-99 or fill it in online at » www.euro-top-hygienic.info.

	M 12	M 16	M 20	M 25
Euro-Top Hygienic				
Euro-Top Hygienic EMV				
Sample Additiona	l information m	aterial	Personal produc	ct consultation
Company				
Last name, first name				
Address				
Phone				
Fax				
E-mail				
Message				

RST Rabe-System-Technik und Vertriebs-GmbH Otto-Lilienthal-Strasse 19 49134 Wallenhorst GERMANY

- **୬** +49 5407 8766-0
- **4** +49 5407 8766-99
- info@rst.eu
- www.rst.eu

